Wuxi Shengquan Metal Products Co., Ltd. metalsstainless-steel.com

5MM 201 Stainless Steel Coil 304 SS Slit Coil 347H EN 1.455 HRC Austenitic

Basic Information

• Place of Origin: china

Brand Name: ShengQuanCertification: ISO9001:2000

• Model Number: 201/304/304L/316/316L/321/309/310/32750/32760/90

• Minimum Order Quantity: 1ton

• Price: USD1500-USD6000

Packaging Details: Standard Export Sea-Worthy Packing

• Delivery Time: 5-15days

Payment Terms:
 L/C, T/T, Western Union

• Supply Ability: 15000Tons



Product Specification

• Width: Or As Required

• Type: Plate, Coil, stainless Steel Sheet

Standard: ASTM,JIS,AISI,EN,GB

• Thickness: 0.3mm-120mm,0.18-1.5mm,0.2-60mm,0.45-

5mm,0.01-200mm

Material: 200 Series/300 Series/400series

• Surface: BA,2B,HL,2D,No.4

Product Name: 201 304 410 Stainless Steel Strip / Stainless

Steel Coil 201 304 410, price List Hr Sus304

304 Stainless Steel Coil

• Highlight: 5MM 201 stainless steel coil,

HRC 201 stainless steel coil,

HRC 304 ss slit coil



Product Description

ASTM 5MM Stainless Steel Coil 347H Hot Rolled EN 1.455 HRC Austenitic

What is stainless steel coil?


Stainless steel coils are one of the most-in-demand raw materials in the construction and manufacturing sector. It also finds wide usage in the production of industrial equipment owing to its distinct mechanical and physical properties. Strong, resist corrosion, light in weight, and require low maintenance, they are also flexible and can be easily made into a range of designs. Stainless steel coils are manufactured using hot rolling stainless steel slabs in a reheat furnace at a certain high temperature between 1,100° C to 1,300° C depending on the grade of the steel used for

Stainless steel coils are manufactured using hot rolling stainless steel slabs in a reheat furnace at a certain high temperature between 1,100° C to 1,300° C depending on the grade of the steel used for the manufacturing process. After continuously running it through heating and rolling mills, the product is coiled. Finally, the stainless steel coils are passed through the annealing and pickling lines for softer and brighter surface finish.

Product category

Hot Rolled Stainless Steel Coil/Sheet	
Steel Grade	301, 304, 304L, 316, 316L, 316Ti, 410S, 410, 405, 430
Standard	ASTM A240/A240M, ASIffi SA-240, SA-24OM, JIS G 4304, EN 10028-7, EN 10088-2
Thickness(mm)	3. 0-14. 0
Width(mm)	1000-2000
Length(mm)	Sneet:56000; Coll
Status	Solid Solution and Pickling; Annealing and Pickling

Cold Rolled Stainless Steel Coil/Sheet		
Steel	301, 304, 304L, 316, 316L, 316Ti, 321, 410S, 409, 409L,410, 420,	
Grade	410S, 430, etc.	
Standard	ASTM A240/A240M, ASME SA-240/SA-240M, JIS G 4305,	
- Staridard	EN10028-7, EN10088-2	
Thickness(0.3-3.0	
mm)	0.0 0.0	
Width(mm)	1000-1219	
Length(mm	1000-2438 or Coil	
)	1000 2400 01 0011	
Status	Solid Solution and Pickling; Annealing and Pickling	





Packing & Delivery

1. Who are we?

We are based in wuxi, China, start from 2021, sell to Mid East(35.00%), South America(20.00%), Southeast Asia(20.00%), Africa(5.00%), Eastern Asia(5.00%), Northern Europe(5.00%), Southern Europe(5.00%), South Asia(5.00%). There are total about 51-100 people in our office.

2. How can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

3. What can you buy from us?

steel sheet coil,ppgi ppgl,galvanized steel coil,aluminum steel coil sheet,stainless steel

4. Why should you buy from us not from other suppliers?

Integrating the superior resources of China's steel industry, we provide customers with high-quality steel products at preferential prices, and can ensure that the goods are delivered to customers in a timely manner.

5. What services can we provide?

Accepted Delivery Terms: FOB,CFR,CIF,EXW,FCA,DDP,DDU,Express Delivery

Accepted Payment Currency: USD, EUR, CNY; Accepted Payment Type: T/T,L/C,Credit Card,Weste





15370898866



523639146@qq.com



e metalsstainless-steel.com

Intersection of Xigang Road and Chuntang Road, Xishan District, Wuxi City