

china

1ton

5-15days

15000Tons

ShengQuan

ISO9001:2000

USD1500-USD6000

L/C, T/T, Western Union

## 317LN 4434 Stainless Steel Metal Tube Pipe Fabrication 4 Inch 5 Inch 6 Inch 7 Inch

201/304/304L/316/316L/321/309/310/32750/32760/90

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

• Application:

• Width:

• Type:

• Grade:

• Product Name:

• Thickness:

• Certification:

• Technique: • Highlight:

**Product Specification** Construction, Kitchenware, Decoration, chemica Or As Required Plate, Coil, stainless Steel Sheet 201/202/304

Standard Export Sea-Worthy Packing

- /304L/316/316L321/310s/410/420/430/440/43 ASTM JIS SUS 201 202 301 304 304I 316
- 316I 310Stainless Steel Sheet
- 0.3mm-120mm, 0.18-1.5mm, 0.2-60mm, 0.45-5mm,0.01-200mm
- ISO,SGS,Other
  - Cold Rolled Hot Rolled
    - 317LN Stainless Steel Metal Tube, 4434 Stainless Steel Metal Tube, 317LN stainless steel pipe fabrication



Our Product Introduction

Seamless Stainless Steel Tubing ,317LN , X2CrNiMoN18-12-4 , 1.4434 Round Steel Tubing 4 Inch 5 Inch 6 Inch 7 Inch

## 300 series grade stainless steel is a chromium-nickel alloy that is manufactured into a range of products including stainless steel tubes

and steel pipes. Both 304 and 316 steel pipe is durable enough to maintain its strength at high temperatures, resist corrosion, and is easy to maintain. The choice between material is highly dependent upon how you will use the pipe and the environment in which the pipe will be installed.

Type 304 stainless steel is perhaps the most common type used because it is corrosionresistant and easy to sanitize. This type of steel is often used for food and beverage applications or in building applications.

Type 316 stainless steel is also corrosion-resistant and easy to clean but is more resistant to corrosion resulting from chemicals and solvents. Because of this, 316 stainless steel is preferred for industrial and surgical applications, or outdoor or marine applications due to its resistance to chloride corrosion.

Chem	ical Pro	pertie	s of Fre	quently	/-used	Stai	nles		el Mate	erial Gra	
UNS	ASTM		JIS	C%	Mn%	P%	S%	Si %	Cr%	Ni%	Mo %
S201 00	201	2	1	≤0.15	5.5- 7.5	≤0.0 6	≤0. 03	≤1. 00	16.0- 18.0	3.5- 5.5	-
S202 00	202	1.437 3	SUS20 2	≤0.15	7.5- 10.0	≤0.0 6	≤0. 03	≤1. 00	17.0- 19.0	4.0- 6.0	-
S301 00	301	9	1	≤0.15	≤2.00	≤0.0 45	≤0. 03		16.0- 18.0	6.0- 8.0	-
S304 00	304	1	4	≤0.08	≤2.00	≤0.0 45	≤0. 03		18.0- 20.0	8.0- 10.5	-
S304 03	304L	6	4L	≤0.03	≤2.00	≤0.0 45	≤0. 03		18.0- 20.0	8.0- 12.0	-
S309 08	309S	1	SUS30 9S	≤0.08	≤2.00	≤0.0 45	≤0. 03		22.0- 24.0	12.0- 15.0	-
S310 08	310S	1.484 5	SUS31 0S	≤0.08	≤2.00	≤0.0 45	≤0. 03	_	24.0- 26.0	19.0- 22.0	-
S316 00	316	1.440 1	SUS31 6	≤0.08	≤2.00	<0.0	≤0. 03		16.0- 18.0	10.0- 14.0	2.0- 3.0
S316 03	316L	1	SUS31 6L	≤0.03	≤2.00	≤0.0 45	≤0. 03		16.0- 18.0	10.0- 14.0	2.0- 3.0
S317 03	317L	8	SUS31 7L	≤0.03	≤2.00	≤0.0 45	≤0. 03		18.0- 20.0	11.0- 15.0	3.0- 4.0
S321 00	321	1.454 1	SUS32 1	≤0.08	≤2.00	≤0.0 45	≤0. 03		17.0- 19.0	9.0- 12.0	-
S347 00	347	0	SUS34 7	≤0.08	≤2.00	45	03		17.0- 19.0	9.0- 13.0	-
S405 00	405	2	SUS40 5	≤0.08	≤1.00	4	≤0. 03		11.5- 14.5	≤0.60	-
S409 00	409	2	SUS40 9	≤0.08	≤1.00	45	03	00	10.5- 11.75	≤0.50	-
S430 00	430	6	0	≤0.12	≤1.00	40	03	75	16.0- 18.0	≤0.60	-
S434 00	434	I	SUS43 4	≤0.12	≤1.00	≤0.0 40	≤0. 03	≤1. 00	16.0- 18.0	-	-

S444 00	444	1.452 1	SUS44 4L	≤0.025	≤1.00		≤0. 03	≤1. 00	17.5- 19.5	≤1.00	-
S403 00	403	-	SUS40 3	≤0.15	5.5- 7.5	≤0.0 4	≤0. 03	≤0. 50	11.5- 13.0	≤0.60	-
S410 000	410	1.400 06	SUS41 0	≤0.15	≤1.00		≤0. 03	≤1. 00	11.5- 13.5	≤0.60	≤1.0 0
S420 00	420	1.402 1	SUS42 0J1	0.16~0 .25	≤1.00	≤0.0 4	≤0. 03	≤1. 00	12.0- 14.0	≤0.75	≤1.0 0
S440 A	440A		SUS44 0A	0.60~0 .75	K1.00		≤0. 03	≤1. 00	16.0- 18.0	-	≤0.7 5
S327 50	SAD2 507	1.441 0		≤0.03	≤1.2			<b>_</b>	_ ···•	6.0- 8.0	3.0- 5.0
	SAF2 205	1.446 2		≤0.03	≤2.0		≤0. 02	<b>-</b> · ·	_ · · •	4.0- 6.5	2.5- 3.5
N089 04	904L	1.453 9		≤0.0.3	≤2.0		≤0. 03	≤1. 00	1	23.0- 25.0	3.0- 4.0





Packing & Delivery

1. Who are we?

We are based in wuxi, China, start from 2021,sell to Mid East(35.00%),South America(20.00%),Southeast Asia(20.00%),Africa(5.00%),Eastern Asia(5.00%),Northern Europe(5.00%),Southern Europe(5.00%),South Asia(5.00%). There are total about 51-100 people in our office.

2. How can we guarantee quality? Always a pre-production sample before mass production; Always final Inspection before shipment;

3.What can you buy from us?

steel sheet coil,ppgi ppgl,galvanized steel coil,aluminum steel coil sheet,stainless steel

4. Why should you buy from us not from other suppliers? Integrating the superior resources of China's steel industry, we provide customers with high-quality steel products at preferential prices, and can ensure that the goods are delivered to customers in a timely manner.

5. What services can we provide? Accepted Delivery Terms: FOB,CFR,CIF,EXW,FCA,DDP,DDU,Express Delivery Accepted Payment Currency:USD,EUR,CNY; Accepted Payment Type: T/T,L/C,Credit Card,Weste

Wuxi Shengquan Metal Products Co., Ltd.

C 15370898866 S 523639146@qq.com B metalsstainless-steel.com

Intersection of Xigang Road and Chuntang Road, Xishan District, Wuxi City